



Call Height - DH	16	20	24	28	32	36	40	Call Width
Call Height - FX	20"	24"	28"	32"	36"	40"	44"	Unit/Frame Width
Unit/Frame Height	1'-8 1/2"	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	3'-8 1/2"	R.O. Width

Double Hungs (Equal Sash Heights)

Call Height - DH	14	16	20	22	24	28	32	34
Call Height - FX	30 3/16"	34 3/16"	42 3/16"	46 3/16"	50 3/16"	58 3/16"	66 3/16"	70 3/16"
Unit/Frame Height	2'-10 3/4"	3'-2 3/4"	3'-10 3/4"	4'-2 3/4"	4'-6 3/4"	5'-2 3/4"	5'-10 3/4"	6'-2 3/4"
R.O. Height								
	1	2	3	4	5	6	7	8
	9	10	11	12	13	14	15	16
	17	18	19	20	21	22	23	24
	25	26	27	28	29	30	31	32
	33	34	35	36	37	38	39	40
	41	42	43	44	45	46	47	48
	49	50	51	52	53	54	55	56
	CDZ1614	CDZ2014	CDZ2414	CDZ2814	CDZ3214	CDZ3614	CDZ4014	
	CDZ1616	CDZ2016	CDZ2416	CDZ2816	CDZ3216	CDZ3616	CDZ4016	
	CDZ1620	CDZ2020	CDZ2420	CDZ2820	CDZ3220	CDZ3620	CDZ4020	
	CDZ1622	CDZ2022	CDZ2422	CDZ2822	CDZ3222	CDZ3622	CDZ4022	
	CDZ1624	CDZ2024	CDZ2424	CDZ2824	CDZ3224	CDZ3624	CDZ4024	
	CDZ1628	CDZ2028	CDZ2428	CDZ2828	CDZ3228	CDZ3628	CDZ4028	
	CDZ1632	CDZ2032	CDZ2432	CDZ2832	CDZ3232	CDZ3632	CDZ4032	
	CDZ1634	CDZ2034	CDZ2434	CDZ2834	CDZ3234	CDZ3634	CDZ4034	

Grille Patterns



No Grille



Colonial



Lexington

Multi-Wide Unit Dimensions

	Call W.	16	20	24	28	32	36	40
Unit W.	20"	24"	28"	32"	36"	40"	44"	
1-wide	RO W.	20-1/2"	24-1/2"	28-1/2"	32-1/2"	36-1/2"	40-1/2"	44-1/2"
2-wide	Unit W.	40"	48"	56"	64"	72"	80"	88"
	RO W.	40-1/2"	48-1/2"	56-1/2"	64-1/2"	72-1/2"	80-1/2"	88-1/2"
3-wide	Unit W.	60"	72"	84"	96"	108"	120"	132"
	RO W.	60-1/2"	72-1/2"	84-1/2"	96-1/2"	108-1/2"	120-1/2"	132-1/2"

Cottage Grille Patterns



No Grille



Colonial



Lexington

Oriel Grille Patterns



No Grille



Colonial



Lexington

Cottage Style Double Hungs

Call Height - DH	24/36	20	24	28	32	36	40	Call Width
Call Height - FX	62 3/16"	66 3/16"	70 3/16"	74 3/16"	78 3/16"	82 3/16"	86 3/16"	Unit/Frame Width
Unit/Frame Height	5'-6 3/4"							R.O. Width
R.O. Height								
	1	2	3	4	5	6	7	
	1624/36	2024/36	2424/36	2824/36	3224/36	3624/36	4024/36	

Oriel Style Double Hungs

Call Height - DH	36/24	20	24	28	32	36	40	Call Width
Call Height - FX	62 3/16"	66 3/16"	70 3/16"	74 3/16"	78 3/16"	82 3/16"	86 3/16"	Unit/Frame Width
Unit/Frame Height	5'-6 3/4"							R.O. Width
R.O. Height								
	8	9	10	11	12	13	14	
	1636/24	2036/24	2436/24	2836/24	3236/24	3636/24	4036/24	



Double Hung Fixed Lite Sizes

Call Height - DH	12	16	20	24	28	32	36	40	44	52	60	68	Call Width
Call Height - FX	16"	20"	24"	28"	32"	36"	40"	44"	48"	56"	64"	72"	Unit/Frame Width
Unit/Frame Height	1'-4 1/2"	1'-8 1/2"	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	3'-8 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. Width
R.O. Height	14	16	20	22	24	28	32	34	36	40	44	48	
30 3/16"													
34 3/16"	CDF1230 ^{3/16} 1	CDF1630 ^{3/16} 9	CDF2030 ^{3/16} 17	CDF2430 ^{3/16} 25	CDF2830 ^{3/16} 33	CDF3230 ^{3/16} 41	CDF3630 ^{3/16} 49	CDF4030 ^{3/16} 57	CDF4430 ^{3/16} 65	CDF5230 ^{3/16} 73	CDF6030 ^{3/16} 81	CDF6830 ^{3/16} 89	
38 3/16"													
3'-2 3/4"	CDF1234 ^{3/16} 2	CDF1634 ^{3/16} 10	CDF2034 ^{3/16} 18	CDF2434 ^{3/16} 26	CDF2834 ^{3/16} 34	CDF3234 ^{3/16} 42	CDF3634 ^{3/16} 50	CDF4034 ^{3/16} 58	CDF4434 ^{3/16} 66	CDF5234 ^{3/16} 74	CDF6034 ^{3/16} 82	CDF6834 ^{3/16} 90	
42 3/16"													
46 3/16"	CDF1242 ^{3/16} 3	CDF1642 ^{3/16} 11	CDF2042 ^{3/16} 19	CDF2442 ^{3/16} 27	CDF2842 ^{3/16} 35	CDF3242 ^{3/16} 43	CDF3642 ^{3/16} 51	CDF4042 ^{3/16} 59	CDF4442 ^{3/16} 67	CDF5242 ^{3/16} 75	CDF6042 ^{3/16} 83	CDF6842 ^{3/16} 91	
3'-10 3/4"													
50 3/16"	CDF1246 ^{3/16} 4	CDF1646 ^{3/16} 12	CDF2046 ^{3/16} 20	CDF2446 ^{3/16} 28	CDF2846 ^{3/16} 36	CDF3246 ^{3/16} 44	CDF3646 ^{3/16} 52	CDF4046 ^{3/16} 60	CDF4446 ^{3/16} 68	CDF5246 ^{3/16} 76	CDF6046 ^{3/16} 84	CDF6846 ^{3/16} 92	
4'-2 3/4"													
54 3/16"	CDF1250 ^{3/16} 5	CDF1650 ^{3/16} 13	CDF2050 ^{3/16} 21	CDF2450 ^{3/16} 29	CDF2850 ^{3/16} 37	CDF3250 ^{3/16} 45	CDF3650 ^{3/16} 53	CDF4050 ^{3/16} 61	CDF4450 ^{3/16} 69	CDF5250 ^{3/16} 77	CDF6050 ^{3/16} 85	CDF6850 ^{3/16} 93	
4'-6 3/4"													
5'-2 3/4"	CDF1258 ^{3/16} 6	CDF1658 ^{3/16} 14	CDF2058 ^{3/16} 22	CDF2458 ^{3/16} 30	CDF2858 ^{3/16} 38	CDF3258 ^{3/16} 46	CDF3658 ^{3/16} 54	CDF4058 ^{3/16} 62	CDF4458 ^{3/16} 70	CDF5258 ^{3/16} 78	CDF6058 ^{3/16} 86	CDF6858 ^{3/16} 94	
5'-10 3/4"													
6'-2 3/4"	CDF1266 ^{3/16} 7	CDF1666 ^{3/16} 15	CDF2066 ^{3/16} 23	CDF2466 ^{3/16} 31	CDF2866 ^{3/16} 39	CDF3266 ^{3/16} 47	CDF3666 ^{3/16} 55	CDF4066 ^{3/16} 63	CDF4466 ^{3/16} 71	CDF5266 ^{3/16} 79	CDF6066 ^{3/16} 87	CDF6866 ^{3/16} 95	
	CDF1270 ^{3/16} 8	CDF1670 ^{3/16} 16	CDF2070 ^{3/16} 24	CDF2470 ^{3/16} 32	CDF2870 ^{3/16} 40	CDF3270 ^{3/16} 48	CDF3670 ^{3/16} 56	CDF4070 ^{3/16} 64	CDF4470 ^{3/16} 72	CDF5270 ^{3/16} 80	CDF6070 ^{3/16} 88		

Grille Patterns



No Grille



Colonial



Lexington

SunClad Narrow Frame Geometric Shapes

SunClad Narrow Frame windows provide maximum daylight opening in a frame designed for producing special shape fixed lite windows. Custom made to your specifications, these fixed lites give you the freedom to design anything from a single special shape window to an entire wall of interwoven units.

Contact your Sun Windows representative for more information, or visit www.sunwindows.com.





Call Height Unit/Frame Height R.O. Height	12	16	20	24	28	32	Call Width Unit/Frame Width R.O. Width
	16"	20"	24"	28"	32"	36"	
28 32"	1-4 1/2"	1-8 1/2"	2-0 1/2"	2-4 1/2"	2-8 1/2"	3-0 1/2"	
32 36"	2	10	18	26	34	42	
36 40"	3	11	19	27	35	43	
44 48"	4	12	20	28	36	44	
48 52"	5	13	21	29	37	45	
55 59"	6	14	22	30	38	46	
60 64"	7	15	23	31	39	47	
68 72"	8	16	24	32	40		

Grille Patterns



No Grille




Colonial




Lexington

Operation Options



L = Left



R = Right



F = Fixed


Multi-Wide Unit Dimensions

	Call W.	12	16	20	24	28	32
1-wide	Unit W.	16"	20"	24"	28"	32"	36"
	RO W.	16-1/2"	20-1/2"	24-1/2"	28-1/2"	32-1/2"	36-1/2"
2-wide	Unit W.	32"	40"	48"	56"	64"	72"
	RO W.	32-1/2"	40-1/2"	48-1/2"	56-1/2"	64-1/2"	72-1/2"
3-wide	Unit W.	48"	60"	72"	84"	96"	108"
	RO W.	48-1/2"	60-1/2"	72-1/2"	84-1/2"	96-1/2"	108-1/2"
4-wide	Unit W.	64"	80"	96"	112"	128"	144"
	RO W.	64-1/2"	80-1/2"	96-1/2"	112-1/2"	128-1/2"	144-1/2"


Call Height Unit/Frame Height R.O. Height	28	32	36	44	48	55	60	68	Call Width Unit/Frame Width R.O. Width
	32"	36"	40"	48"	52"	59"	64"	72"	
12 16"	1-4 1/2"	1-8 1/2"	3-4 1/2"	4-0 1/2"	4-4 1/2"	4-11 1/2"	5-4 1/2"	6-0 1/2"	
16 20"	1	6	12	18	24	27	30	33	
20 24"	2	7	13	19	25	28	31	34	
24 28"	3	8	14	20	26	29	32	35	
28 32"	4	9	15	21	27	30	33	36	
28 32"	5	10	16	22	28	31	34	37	
32 36"									

Operator Location

Outside



Inside



Operator Location

One Lock
Two Locks

Grille Patterns



No Grille



Colonial



Lexington



Casement Fixed Lite Sizes

Full Circle, Oval & Octagon Window Sizes

Call Height	12	16	20	24	28	32	36	44	52	60	68	Call Width
Unit/Frame Height	16"	20"	24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit/Frame Width
R.O. Height	1'-4 1/2"	1'-8 1/2"	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. Width
28 32"	1 CCF1228	9 CCF1628	17 CCF2028	25 CCF2428	33 CCF2828	41 CCF3228	49 CCF3628	57 CCF4428	65 CCF5228	73 CCF6028	81 CCF6828	
32 36"	2 CCF1232	10 CCF1632	18 CCF2032	26 CCF2432	34 CCF2832	42 CCF3232	50 CCF3632	58 CCF4432	66 CCF5232	74 CCF6032	82 CCF6832	
36 40"	3 CCF1236	11 CCF1636	19 CCF2036	27 CCF2436	35 CCF2836	43 CCF3236	51 CCF3636	59 CCF4436	67 CCF5236	75 CCF6036	83 CCF6836	
44 48"	4 CCF1244	12 CCF1644	20 CCF2044	28 CCF2444	36 CCF2844	44 CCF3244	52 CCF3644	60 CCF4444	68 CCF5244	76 CCF6044	84 CCF6844	
48 52"	5 CCF1248	13 CCF1648	21 CCF2048	29 CCF2448	37 CCF2848	45 CCF3248	53 CCF3648	61 CCF4448	69 CCF5248	77 CCF6048	85 CCF6848	
55 59"	6 CCF1255	14 CCF1655	22 CCF2055	30 CCF2455	38 CCF2855	46 CCF3255	54 CCF3655	62 CCF4455	70 CCF5255	78 CCF6055	86 CCF6855	
60 64"	7 CCF1260	15 CCF1660	23 CCF2060	31 CCF2460	39 CCF2860	47 CCF3260	55 CCF3660	63 CCF4460	71 CCF5260	79 CCF6060	87 CCF6860	
68 72"	8 CCF1268	16 CCF1668	24 CCF2068	32 CCF2468	40 CCF2868	48 CCF3268	56 CCF3668	64 CCF4468	72 CCF5268	80 CCF6068		

Grille Patterns



No Grille



Colonial



Lexington

Full Circles

Call Height	20	28	32	44	68	Call W.
Unit/Frame Height	24"	32"	36"	48"	72"	Unit W.
R.O. Height	2'-0 1/2"	2'-8 1/2"	3'-0 1/2"	4'-0 1/2"	6'-0 1/2"	R.O. W.
	12"	16"	18"	24"	36"	Radius
1	2	3	4	5		
CFC20	CFC28	CFC32	CFC44	CFC68	Call Size	
24"	32"	36"	48"	72"	Unit W.	
24"	32"	36"	48"	72"	Unit H.	
2'-0 1/2"	2'-8 1/2"	3'-0 1/2"	4'-0 1/2"	6'-0 1/2"	R.O. W.	
2'-0 1/2"	2'-8 1/2"	3'-0 1/2"	4'-0 1/2"	6'-0 1/2"	R.O.H.	

Ovals

Call Height	20	32	Call W.
Unit/Frame Height	24"	36"	Unit W.
R.O. Height	2'-0 1/2"	3'-0 1/2"	R.O. W.
	12"	18"	Radius
1	2		
COV2032	COV3252	Call Size	
24"	36"	Unit W.	
36"	56"	Unit H.	
2'-0 1/2"	3'-0 1/2"	R.O. W.	
3'-0 1/2"	4'-8 1/2"	R.O.H.	

Octagons

Call Height	20	Call W.
Unit/Frame Height	24"	Unit W.
R.O. Height	2'-0 1/2"	R.O. W.
	12"	Radius
1		
COG2032	Call Size	
24"	Unit W.	
24"	Unit H.	
2'-0 1/2"	R.O. W.	
2'-0 1/2"	R.O.H.	
2		
COG2032	Call Size	
24"	Unit W.	
36"	Unit H.	
2'-0 1/2"	R.O. W.	
3'-0 1/2"	R.O.H.	



Call Height - DH	Call Height - FX	Transoms												Call Width
		12	16	20	24	28	32	36	40	44	52	60	68	
12	16"	16"	20"	24"	28"	32"	36"	40"	44"	48"	56"	64"	72"	R.O. Width
16	20"	1'-4 1/2"	1'-8 1/2"	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	3'-8 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	
20	24"	1	5	9	13	17	21	25	29	33	37	41	45	
24	28"	2	6	10	14	18	22	26	30	34	38	42	46	
		3	7	11	15	19	23	27	31	35	39	43	47	
		4	8	12	16	20	24	28	32	36	40	44	48	

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page).

Call Height - DH	Call Height - FX	Round Tops										Call W.
		20	24	28	32	36	44	52	60	68	Unit W.	
1	Shoulder Height	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.	
		12"	14"	16"	18"	20"	24"	28"	32"	36"	Radius	
		1	2	3	4	5	6	7	8	9		
		CR20	CR24	CR28	CR32	CR36	CR44	CR52	CR60	CR68	Call Size	
		24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.	
		13"	15"	17"	19"	21"	25"	29"	33"	37"	Unit H.	
		2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.	
		1'-1 1/2"	1'-3 1/2"	1'-5 1/2"	1'-7 1/2"	1'-9 1/2"	2'-1 1/2"	2'-5 1/2"	2'-9 1/2"	3'-1 1/2"	R.O.H.	

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page). Grille shown is Sunburst pattern. Additional patterns are available. See Sun Product Guide or visit www.sunwindows.com for more information.

Call Height - DH	Call Height - FX	Arch Tops										Call W.
		20	24	28	32	36	44	52	60	68	Unit W.	
4	Shoulder Height	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.	
		18"	24"	24"	30"	36"	42"	54"	60"	72"	Radius	
		4-9/16"	4-1/2"	6-1/8"	6"	6-1/16"	7-9/16"	7-13/16"	9-1/4"	9-5/8"	Cord H.	
		1	3	5	7	9	11	13	15	17		
		CA204	CA244	CA284	CA324	CA364	CA444	CA524	CA604	CA684	Call Size	
		24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.	
		12 9/16"	12 1/2"	14 1/8"	14"	14 1/16"	15 9/16"	15 13/16"	17 1/4"	17 5/8"	Unit H.	
		2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.	
		1'-1 1/16"	1'-1"	1'-2 5/8"	1'-2 1/2"	1'-2 9/16"	1'-4 1/16"	1'-4 5/16"	1'-5 3/4"	1'-6 1/8"	R.O.H.	
8	12"	2	4	6	8	10	12	14	16	18		
		CA208	CA248	CA288	CA328	CA368	CA448	CA528	CA608	CA688	Call Size	
		24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.	
		16 9/16"	16 1/2"	18 1/8"	18"	18 1/16"	19 9/16"	19 13/16"	21 1/4"	21 5/8"	Unit H.	
		2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.	
		1'-5 1/16"	1'-5"	1'-6 5/8"	1'-6 1/2"	1'-6 9/16"	1'-8 1/16"	1'-8 5/16"	1'-9 3/4"	1'-10 1/8"	R.O.H.	

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page). Grille shown is Spoke pattern for Call Height 4 units and Renaissance pattern for Call Height 8 units. Additional patterns are available. See Sun Product Guide or visit www.sunwindows.com for more information.

Also Available in Extended Heights



Arch Top
(Extended Height)



Extended Round Top

Round Tops and Arch Tops are available in extended heights to match the shoulder height of double hung and casement windows. See the Sun Product Guide or www.sunwindows.com for more information.

Round Top Grille Patterns



Arch Top Grille Patterns





Call Height - DH Call Height - FX Shoulder Height	Quarter Round Tops - Left or Right (Left Shown) Specify direction when ordering. Direction is as viewed from the outside									
	20	24	28	32	36	44	52	60	68	Call W.
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.
	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Radius
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Cord H.

Call Height - DH Call Height - FX Shoulder Height	Quarter Round Tops - 2-wide units (1 Left & 1 Right)									
		CQR20-2	CQR24-2	CQR28-2	CQR32-2	Call Size				
		48"	56"	64"	72"	Unit W.				
		24"	28"	32"	36"	Unit H.				
		4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.				
		2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	R.O.H.				

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page). Grille shown is Spoke pattern. Additional patterns are available. See Sun Product Guide or visit www.sunwindows.com for more information.

Call Height - DH Call Height - FX Shoulder Height	Eyebrow Window									
	20	24	28	32	36	44	52	60	68	Call W.
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.
	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.
					28"	32"	36"	42"		Radius
					13 9/16"	16 1/2"	19 1/2"	20 3/8"		Cord H.

Call Height - DH Call Height - FX Shoulder Height	Gothic Window									
	20	24	28	32	36	44	52	60	68	Call W.
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.
	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.
	32"	32"		36"		48"				Radius
	25"	26 7/16"		31 3/16"		41 9/16"				Cord H.




Call Height - DH Call Height - FX Shoulder Height	Eyebrow Window									
		CE44	CE52	CE60	CE68	Call Size				
		48"	56"	64"	72"	Unit W.				
		13 9/16"	16 1/2"	19 1/2"	20 3/8"	Unit H.				
		4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.				
		1'-2 1/16"	1'-5"	1'-8"	1'-8 7/8"	R.O.H.				

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page). Grille shown is Spoke pattern. Additional patterns are available. See Sun Product Guide or visit www.sunwindows.com for more information.

Call Height - DH Call Height - FX Shoulder Height	Gothic Window									
	20	24	28	32	36	44	52	60	68	Call W.
	24"	28"	32"	36"	40"	48"	56"	64"	72"	Unit W.
	2'-0 1/2"	2'-4 1/2"	2'-8 1/2"	3'-0 1/2"	3'-4 1/2"	4'-0 1/2"	4'-8 1/2"	5'-4 1/2"	6'-0 1/2"	R.O. W.
	32"	32"		36"		48"				Radius
	25"	26 7/16"		31 3/16"		41 9/16"				Cord H.

Call Height - DH Call Height - FX Shoulder Height	Gothic Window									
		CDG2012	CDG2416	CDG3220	CDG4420	Call Size				
		24"	28"	36"	48"	Unit W.				
		41"	46 7/16"	55 3/16"	65 9/16"	Unit H.				
		2'-0 1/2"	2'-4 1/2"	3'-0 1/2"	4'-0 1/2"	R.O. W.				
		3'-5 1/2"	3'-10 15/16"	4'-7 11/16"	5'-6 1/16"	R.O.H.				

Note: Grille pattern and lite division shown matches double hung products. Grille pattern and lite division for casement products will adjust to match casement lite division (see casement page). Grille shown is Gothic pattern. Additional patterns are available. See Sun Product Guide or visit www.sunwindows.com for more information.





1-Panel Units: Inswing Door

		Fixed Only					
Call Height	Unit/Frame H.	2-0	2-6	2-8	3-0	3-3	Call Width
		2'-0 7/8"	2'-6 7/8"	2'-8 7/8"	3'-0 7/8"	3'-3 7/8"	R.O. Width
6-8	79 1/2"						Unit/Frame Width
6-11	82 1/2"						R.O. Width
8-0	95 1/2"						Panel Width
	R.O. Height	6'-8"	6'-8"	6'-8"	6'-8"	6'-8"	
	Panel Height	77 1/16"	77 1/16"	77 1/16"	77 1/16"	77 1/16"	
		CID2068	CID2668	CID2868	CID3068	CID3368	
		CID20611	CID26611	CID28611	CID30611	CID33611	
		CID2080	CID2680	CID2880	CID3080		

Sidelites

		1-2	1-4	1-6	Call Width
Call Height	Unit/Frame H.	13 13/16"	15 13/16"	17 13/16"	Unit/Frame Width
		1'-2 5/16"	1'-4 5/16"	1'-6 5/16"	R.O. Width
6-8	79 1/2"				Panel Width
6-11	82 1/2"				
8-0	95 1/2"				
	R.O. Height	6'-8"	6'-8"	6'-8"	
	Panel Height	77 1/16"	77 1/16"	77 1/16"	
		CIL1268	CIL1468	CIL1668	
		CIL12611	CIL14611	CIL1611	
		CIL1280	CIL1480	CIL1680	

2-Panel Units: Inswing Door or True French Door

		Fixed Only			
Call Height	Unit/Frame H.	4-0	5-0	5-4	6-0
		4'-0 1/2"	5'-0 1/2"	5'-4 1/2"	6'-0 1/2"
6-8	79 1/2"				
6-11	82 1/2"				
8-0	95 1/2"				
	R.O. Height	6'-8"	6'-8"	6'-8"	6'-8"
	Panel Height	77 1/16"	77 1/16"	77 1/16"	77 1/16"
		CID or CFD 4068	CID or CFD 5068	CID or CFD 5468	CID or CFD 6068
		CID or CFD 40611	CID or CFD 50611	CID or CFD 54611	CID or CFD 60611
		CID or CFD 4080	CID or CFD 5080	CID or CFD 5480	CID or CFD 6080


3-Panel Units: Inswing Door

		7-6	8-0	9-0	Call Width
Call Height	Unit/Frame H.	89 5/8"	95 5/8"	107 5/8"	Unit/Frame Width
		7'-6 1/8"	8'-0 1/8"	9'-0 1/8"	R.O. Width
6-8	79 1/2"				Panel Width ea.
6-11	82 1/2"				
8-0	95 1/2"				
	R.O. Height	6'-8"	6'-8"	6'-8"	
	Panel Height	77 1/16"	77 1/16"	77 1/16"	
		CID7668	CID8068	CID9068	
		CID76611	CID80611	CID90611	
		CID76680	CID8080	CID9080	

Operation Options for Inswing Doors - Specify the operation for the door as shown below. Operation is as viewed from the outside.



Operation Options for True French Doors - Specify the operation for the door as shown below. Operation is as viewed from the outside.



Grille Patterns for Inswing & True French Doors



Grille Patterns for Sidelites



