

Series 57 - Single Hung & Single Slider



Sun Vinyl Windows



SH57 - Single Hung

The Sun Vinyl SH57 Single Hung window features sash-over-sash design. The bottom sash opens for ventilation and tilts-in for easy cleaning of the exterior glass surface. In the closed position, the sash rail interlocks with the fixed sash rail for improved security and a better air seal. The top sash is fixed and does not open.

The SH57 line features welded construction for a strong, completely sealed frame and sash corners; pure virgin vinyl compound for vinyl strength and longevity; and an exterior frame that incorporates a built-in J-channel / Brick Mold profile which integrates easily with siding while providing an additional trim accent.

All Sun Vinyl products provide excellent energy saving performance. Select one of Sun's Low-E insulated glass configurations to take advantage of Sun's best energy performance combination for your needs. All Sun IG units use the Duralite™ warm-edge spacer system, an all non-metallic spacer that provides the lowest thermal conductivity of any IG spacer. Sun Vinyl products are virtually maintenance-free. They never need painting and are designed to provide years of trouble-free performance.

Features

- Virgin Vinyl Extrusions
- Welded Corners
- Built-In J-Channel / Brick Mold
- Integral Nailing Fin
- Weep System
- Weather Seals
- Tilt Sash
- Interlocking Sash Rail
- Insulated Glass
- Warm-Edge Spacer
- Silicone Glazing
- Reglazable Sash
- Low Maintenance





Features

- Virgin Vinyl Extrusions
- Welded Corners
- Built-In J-Channel / Brick Mold
- Integral Nailing Fin
- Weep System
- Weather Seals
- Sliding Sash
- Interlocking Sash Rail
- Insulated Glass
- Warm-Edge Spacer
- Silicone Glazing
- Reglazable Sash
- Low Maintenance

SS57 - Single Slider

The Sun Vinyl SS57 Single Slider window features side-by-side sash design. One sash slides open for ventilation while the other is a fixed lite. In the closed position, the sash rail interlocks with the fixed sash rail for improved security and a better air seal. Choose left or right side operating sash (as viewed from the outside) when ordering.

The SS57 line features welded construction for a strong, completely sealed frame and sash corners; pure virgin vinyl compound for vinyl strength and longevity; and an exterior frame that incorporates a built-in J-channel / Brick Mold profile which integrates easily with siding while providing an additional trim accent.


All Sun Vinyl products provide excellent energy saving performance. Select one of Sun's Low-E insulated glass configurations to take advantage of Sun's best energy performance combination for your needs. All Sun IG units use the Duralite™ warm-edge spacer system, an all non-metallic spacer that provides the lowest thermal conductivity of any IG spacer. Sun Vinyl products are virtually maintenance-free. They never need painting and are designed to provide years of trouble-free performance.





Options

- Standard and Custom Sizes
- 10 Exterior Colors
White, Vanilla, Beige, Sand, Bronze, Dark Bronze, Red, Green, Gray, Black
- 2 Interior Vinyl Colors
White and Sand
- Grilles Between the Glass
- Low-E Glass with Argon
 - ClimaGuard 63/31 (heating & cooling climates)
 - ClimaGuard 55/27 (mostly cooling climates)
- ClimaGuard SPF
UV Fade Protection Glass
- Tinted, Obscure and Decorative Glass
- Window Screens
- 1-3/4" Jamb (standard)
- 4-9/16" Jamb with Extension
- Nail Fin removal for insert window application



Visit Sun Windows online at www.sunwindows.com
for more information about Sun's products and services.

